

INDIA'S LARGEST WOOD PANEL MANUFACTURER®

Greenpanel Industries Limited

Registered & Corporate Office

DLF Downtown, Block 3, 1st Floor, DLF Phase 3,

Sector 25A, Gurugram - 122002, Haryana, India

Tel No.: +91-124 4784 600

CIN : L20100HR2017PLC127303

www.greenpanel.com

Toll Free No.: 1800-102-2999

Email: info@greenpanel.com

Connect with us:



Scan the QR Code



to view the website



— WOODEN FLOORING —



WALK ON
PURE LUXURY

ELEVATED EXPERIENCES,
ONE STEP AT A TIME.

ABOUT GREENPANEL

Greenpanel Industries Limited is India's largest manufacturer of wood panels.

Our product range of MDF, Pre-Laminated MDF, Plywood & Wooden Flooring is marketed and distributed through our robust network of over 3,000 dealers pan India.

Greenpanel Wooden Flooring

With a new brand and vision, we are committed to usher in a new generation of wood solutions which include our hallmark wooden flooring range. Our team has carefully studied the latest International trends in wooden flooring and curated it under the Prima and Persona collection.



PERSONA
VINTAGE OAK FLPE416



PERSONA
ANTIQUE OAK FLPE409

Index

BRAND VISION & KEY MILESTONES

LUXURY IN THE LAP OF NATURE

THE NEW WOODEN FLOORING TRENDS

THE GREENPANEL WOODEN FLOORING ADVANTAGE

PERMACLICK™ THE MOST SUPERIOR LOCKING SYSTEM

KNOW GREENPANEL WOODEN FLOORING BETTER

PRIMA COLLECTION

PERSONA COLLECTION

MAINTENANCE & CARE


INSTALLATION PROCESS

ACCESSORIES


WARRANTY



PERSONA
NEVADA OAK FLPE405



SCAN OR VISIT
IMMERSIVE 360 VIEW



PERSONA
HERITAGE OAK FLPE413




360° VIEW

BRAND VISION

Every organization in this world, irrespective of size and domain, works towards building a prosperous future for itself. We believe that the key to do so is by innovating products and exceeding customer satisfaction.

We at Greenpanel, envision the future of contemporary living spaces and then bring them to life. We pride ourselves in coming up with innovations which help us in achieving our company's vision:

To represent the infinite future possibilities in wood panelling.
Our logo is the perfect depiction of these infinite possibilities with a seamless merging of G & P to form an infinity symbol.



KEY MILESTONES


LUXURY IN THE LAP OF NATURE

The modern flooring solutions provided by Greenpanel, make for a lovely setting at home. Peaceful, lush and luxurious- it'll change the way you'll view your indoors.

With Greenpanel Wooden Flooring, it's like living in the lap of nature. Our Wooden Flooring is not just durable, it is eco-friendly too. Plus, they make a style statement in every home they adorn.



PERSONA
NATURAL OAK FLPE403




IMMERSIVE 360 VIEW



DARK WOOD TO
CONNOTE LUXURY

PRIMA
TAUPE OAK FL026



WARM SHADES TO GIVE
A FEELING OF COZINESS

PRIMA
PLUSH WALNUT FL022



THE NEW WOODEN FLOORING TRENDS EMBRACING NATURE!

As we get more and more attuned to the modern and monotonous nature of urban life, we long more for the beauty and pleasure of living amidst nature. Adopting nature and natural living practices is becoming a fast way of life internationally and it's catching up in India as well.

Wooden floors with their withered, natural look lend authenticity and harmony to living spaces. The style and appearance of your room is determined by the color of your floor. Different shades of wood can match different tastes and personalities.

Real natural tones in Greenpanel Wooden Flooring add timelessness. Lighter shades stand for extra spacious look and feel, warm shades for coziness and darker shades for a dash of luxury.



LIGHTER SHADES
FOR A SPACIOUS LOOK

PRIMA
CRESCENT MOONLIGHT FLP510





THE GREENPANEL WOODEN FLOORING ADVANTAGE



Permaclick™
Interlocking System

The most advanced wooden flooring interlocking system available in the country gives Greenpanel Wooden Flooring an unmatched quality and finish. It makes the installation process easy.



Scratch-
Resistant

This specially engineered surface coating makes wooden flooring manifold stronger and resistant to surface scratches.



Water-
Resistant

The top surface treatment makes it non-porous and the Permaclick™ Technology does not allow the water to seep in, making the floor water-resistant.



Hygienic & Easy
To Maintain

Our surface protection technology ensures dirt doesn't cling to your floor while our precise interlocking system binds the planks perfectly, allowing absolutely no room for dust to accumulate.



100% HDF
Base Core

The High Density Fibreboard at the core of Greenpanel Wooden Flooring makes them stronger, sturdier and more durable than any other wooden flooring.



Warranty

There is a warranty of 10 years on the Prima collection and a warranty of 15 years on the Persona collection.

PRIMA
SUNDERBAN WENGE FL019



PRIMA
SUNDERBAN WENGE
FL019



PRIMA
KALAHARI OAK FL005




PERMACLICK™ THE MOST SUPERIOR CLICK LOCK SYSTEM

Unlike many floors, Greenpanel Wooden Flooring do not have beveled edges or a V-Groove, but a 90-degree edge between two planks. Due to imperfections in the manufacturing process of unlicensed interlocking systems made by other manufacturers, two adjoining wood planks do not sit level and are at different heights.


This results in the edge of one plank being higher than that of its adjoining plank (FIG.1). In such a situation, a 90-degree angle results in a very sharp edge, creating risk of injury when walking barefoot or there is a risk of tripping.

Due to the unique Permaclick™ interlocking system of Greenpanel Wooden Flooring, the edges are always in level. There are no surface imperfections or edges sticking out (FIG.2).


90-DEGREE EDGE



IMPERFECT SURFACE (FIG.1)



PERFECT SURFACE (FIG.2)




PRIMA
ATLANTIC OAK FLO25

To overcome imperfection of the profile, the edges are beveled or shaped in a V-Groove to provide a gentler angle between the planks (FIG.3).

The process of beveling or V-Grooving involves trimming of each 90-degree edge, resulting in the removal of the high-abrasive resistant layer and the decorative design layer which exposes the inner HDF core of the flooring (FIG.3). Since the protective layers get removed, this makes the HDF core highly susceptible to water ingress as well as accumulation of dirt.

Greenpanel Wooden Flooring have a unique angle snap method of layout that fits the planks together at 90-degree angle for a perfect seamless finish.

This means Greenpanel Wooden Flooring have 90-degree edges that are safe, locked together with no portion of inner HDF core exposed. As a result, the floor is highly resistant to water ingress and dust accumulation.




V-GROOVE (FIG.3)



The tensile strength of the click system seals off the floor with an air tight finish that doesn't let liquid seep in and provides superior protection against moisture. As a result, our floors are more durable with minimal wear and tear.



PRIMA
SEPIA TEAK FLP506




SCAN QR TO SEE
IMMERSIVE 3D VIEW

KNOW
GREENPANEL
FLOORING
BETTER

CHOOSE YOUR DECOR

PRIMA COLLECTION

PRIMA
BROWNY WALNUT FLP515



PERSONA COLLECTION

PERSONA
IRISH OAK FLPE402



CHOOSE YOUR GRADE



AC3

Recommended for residential and low footfall areas.



AC4


Recommended for residential, office spaces and light commercial applications.




AC5

Recommended for medium to heavy duty commercial applications.

CHOOSE YOUR TEXTURE




OPEN GRAIN
Straight Line Effect



CROWN
Curvy Dynamic Effect

PRODUCT STRUCTURE



TOP LAYER

High abrasion resistance overlay

SECOND LAYER


Decorative design layer

MIDDLE LAYER

100% HDF base core

BASE LAYER

Moisture-resistant backing layer




PRIMA

COLLECTION-AC3

The Prima Collection is tailor-made for new age residential living. This range spells class and luxury. The wooden flooring gives a feeling of cleanliness, modernity and expanse that adds a feel of grandeur.



PRIMA
TIMBER TRAIL FL003



IMMERSE 360 VIEW



TOPAZ OAK FL002



TIMBER TRAIL FL003



KALAHARI OAK FL005



HIMALAYAN MERBAU FL011



EARTHERN APPLE FL013



AMAZON WALNUT NEW FL014N



SERENE SEPIA FL018



EARTHEN CHERRY FL020



PLUSH WALNUT FL022



RUSSIAN RIPPLES FL023



SHERWOOD DASUKI FL024



ATLANTIC OAK FL025



TAUPE OAK FL026





BUNRATTY FL027



PRIMA
FLINT OAK FL028



ENGLISH TEAK FL029



PRIMA
SAMARA MAPLE FL030





GRENADA PINE FL031



BLOOMING CHERRY FL032



PEACH EMBER FL033





WHITE FL096



TAVERN TRAILS FLP504



ANTIQUE CADBURY FLP505



SEPIA TEAK FLP506



CRESCENT MOONLIGHT FLP510



DESSERT SUN FLP513



BROWN WALNUT FLP515



PERSONA

COLLECTION AC4/AC5

Characterized by an extremely superior finish, these super premium wooden flooring are handpicked from the best wood designs of the world. Each wooden tile is equal to 2-3 slim tiles, interspersed with grains and crown which infuse nature and breathe life into modern condos and commercial spaces.



PERSONA
NAVARA OAK FLPE404



EVERETT 2025 NEW



ACACIA FLPE401



IRISH OAK FLPE402



NATURAL OAK FLPE403



NAVARA OAK FLPE404



NEVADA OAK FLPE405



TAXUS FLPE406



AMERICAN OAK FLPE407





ANTIQUÉ OAK FLPE409



COLORADO OAK FLPE410



AMERICAN WALNUT FLPE411



BLEACHED OAK FLPE412



HERITAGE OAK FLPE413



COFFEE OAK FLPE414



HICKORY WALNUT FLPE415



VINTAGE OAK FLPE416



ACER TEAK FLPE419



CANYON PERFECT FLPE420





ROYAL CHERRY FLPE421



MAHOGANY HUES FLPE422



ASH OAK FLPE423



CASPIO MARBLE FLPE424





PERSONA
MAHOGANY HUES FLPE422



— SCAN OR VISIT —
MAVERIQE 360 VIEW

MAINTENANCE & CARE

Greenpanel Wooden Flooring is easy to clean and maintain. The laminated top layer on the planks makes it spick and span year after year. These floors don't need any special cleaning agents or methods, just a squeezed out damp mop will do.



Sweep the floor using a standard dust mop to remove dirt and dust.




No need to use wax, polish, oil or varnish on the floor.



When necessary, wipe the floor with a squeezed out damp cloth, using only water.



Do not use soap-based detergents or household cleaners to clean the floor.



Do not use abrasive cleaners on the floor.



In case something spills, simply wipe the floor with a dry cloth.




Use felt pads/rubber feet under furniture legs to avoid scratching.



Entry mats help in collecting sand, dirt, grit and other substances that may harm your floor.



PERSONA
NATURAL OAK FLPE403



INSTALLATION PROCESS

Laying Greenpanel Wooden Flooring is extremely easy with the unique Permaclick™ technology.

Easy Installation


Greenpanel Wooden Flooring has the unique Permaclick™ interlocking system which ensures that the planks effortlessly click together.

Easy to Install on Existing Floor

Greenpanel Wooden Flooring can be laid over any type of subfloor like concrete, stone, vinyl or ceramic as long as it is clean and dry.



PRIMA
EARTHEN APPLE FL013



— DIMENSIONS —
IMMERSIVE 360° VIEW

THE BEST ACCESSORIES TO GO WITH


Add the perfect finishing touch with Greenpanel Wooden Flooring skirting and profiles. To complete the look of your stunning floor, you can choose from a wide range of designs that match every floor and style.

UNDERLAY

Greenpanel premium 2-in-1 underlay is a combination of a 2 mm underlay and a PE foil. With the ease of just rolling out the underlay, you can level the subfloor irregularity, as well as reduce the risk of transferring humidity from the subfloor to the floor panels.


SKIRTING

Provides finish to the floors by cladding the lower part of the adjoining walls.




STAIR NOSE

Covers the open edges of the floor planks and provides a seamless transition between the horizontal and vertical sections of the staircase.





T-PROFILE

Connects two sections of the floor at the same height.



REDUCER

Provides a smooth transition from the floor to a lower surface such as tiled floor or carpet.



BEADING

Creates a border between the floor and adjoining walls. Can be used as an alternate to skirting where skirting is not used.

GREENPANEL WOODEN FLOORING WARRANTY

Greenpanel Wooden Flooring is a high quality product manufactured by Greenpanel Industries Limited. Our quality standards are backed by extensive warranty coverage. Greenpanel Wooden Flooring is designed to provide many years of resistance to foot traffic friction without showing signs of significant wear and tear. This is under the conditions provided that no abrasive substances (salt, sand and glass) are present on the surface, the floor has been installed according to Greenpanel Industries Limited guidelines and the floor has been regularly maintained according to the manufacturer's instructions. See maintenance and care guidelines.

LAMINATE FLOORING

On fulfilment of the below conditions, Greenpanel Industries Limited grants the following warranty on its Greenpanel Wooden Flooring:

Prima collection-AC3 - 10 years warranty

Persona collection-AC4 - 20 years warranty

Persona collection-AC5 - 25 years warranty

THE WARRANTY COVERS THE FOLLOWING:

Stain Resistance

Greenpanel Wooden Flooring is resistant to normal household stains on the decorative surface. The floor will not stain due to spills from beverages, when removed and cleaned promptly and properly.

Fade Resistance

Greenpanel Wooden Flooring is resistant to fading from exposure to indirect sunlight or normal artificial light with the exception of natural ageing.

Wear Resistance

With respect to claims on surface wear-through, an area on the floor panel is considered worn out only if the surface wear is readily visible (ie. approximately 9.7 square cm) and the decorative layer has been exhausted until the core material is visible. Claims for surface wear-through are unacceptable if the surface wear-through occurs at the edges/joints of the panel. Gloss reduction is not considered to be surface worn-through.

General Warranty Conditions

The warranty does not cover damage due to transportation, storage, installation, extreme indoor conditions (excessive dryness or humidity), pets, insects, water, negligence, or any other similar cause. The warranty covers only defective products exceeding 5% in m2 of the total quantity purchased by the customer (excluding losses resulting from cutting boards during installation).

Obligations by Greenpanel Industries Limited

Under the terms of this warranty, the responsibility of the manufacturer, Greenpanel Industries Limited, is limited to any of the following measures, at Greenpanel's sole discretion and without any other form of compensation:

- Supply the material necessary to replace the defective boards.
- Pay compensation equivalent to the purchase cost of the defective boards.

For complete information on warranty, please visit our website www.gpwoodfloors.com

